


motilo.[®]



Everything you can
imagine
is real.



INDEX



WHAT WE ARE

MOTILO., manufacturing quartz stone with its plant located at MORBI, Gujarat, India. **MOTILO** Quartz Stone has the capacity to manufacture 13,000 SQMeter of quartz stone Per Month.

Quartz stone is an engineered stone used for a variety of applications in the building and construction industry, be it residential, non residential or Commercial. Quartz can be used either in existing buildings, homes, offices, etc. or in new construction projects instead of tiles or natural stones, to enhance durability, strength as well as minimize maintenance costs for the end users. Quartz stone essentially eliminates most of the innate deficiencies of natural granite stone as well as enables designs that are customized to the end user's choice.

MOTILO has been setup with the highest level of quality and systemic controls that ensures consistent production with minimal wastage. **MOTILO** will lead by example and aims to become the feather in the cap for the Indian engineered stone industry.

- SPRAKLE SERIES 04
- ICE SERIES 10
- HONEY SERIES 13
- SANDY SERIES 15
- FROST SERIES 18
- PEARL SERIES 19

EXTENDED BEAUTY ▲


The new Collection is inspired from the vision of thinking big. It is available in six different sizes, thickness and textures such as 3200x1600, 3200x800, 3075x1450, 3075x725, 3200x825, which can embellish and adorn living and work spaces all around you. Sophisticated, next-gen technology has been harnessed to create this kind of large size of pieces. This facilitates embellishment of different surfaces leading to seamlessly elegant spaces all around. It is a delight for interior designers and architects to deploy these quartz and create mesmerizing spaces.

3200x1600mm



3200x900mm

3200x1600mm



3200x725mm

- 
Premium Quality
- 
Durable
- 
Versatile & Elegant
- 
Ecology & Sustainable
- 
Resistant To Staining
- 
Maintenance Free
- 
Breaking Strength
- 
Easy To Clean



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

SPRAKLE SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm


motilo.[®]

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm



Sprakle White

1001



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



SPRAKLE SERIES

motilo.®

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm

Sprakle Ivory 1002



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished


Sprakle Light Grey 1003



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished


Sprakle Chocolaty 1004



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

Sprakle Dark Blue 1005



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

SPRAKLE SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

motilo®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm



Sprakle Orange

1006



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



SPRAKLE SERIES

motilo.[®]

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm


Sprakle Blue 1007



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

Sprakle Parrot Green 1008



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished


Sprakle Yellow 1009



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

Sprakle Dark Green 1010



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

SPRAKLE SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm


motilo®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm



Sprakle Red

1011



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean


SPRAKLE SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

motilo®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm


Sprakle Black 1012



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished


Sprakle Dark Red 1013



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

Sprakle Grey 1014



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength




Easy To Clean

ICE SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

motilo®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm



Ice Brown

2001



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



ICE SERIES

motilo.[®]

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm

Ice Grey 2002



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished


Ice Varde 2003



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

Ice White 2004



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

Ice Almond 2005



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



ICE SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm


motilo.®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm



Ice Sliver

2006



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

HONEY SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm


motilo®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm



Honey Almond

3001



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

HONEY SERIES


Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

motilo.®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm

Honey Silver

3002



Thickness


30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish

Polished

Honey White

3003



Thickness

30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish

Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

SANDY SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm


motilo®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm



Sandy Dark Grey

4001



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean


SANDY SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

motilo.®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm

Sandy Khakhi 4002



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished


Sandy S Grey 4003



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished


Sandy Tusk 4004



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

Sandy White 4005



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

SANDY SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

motilo.®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm

Sandy Silver

4006



Thickness

30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish

Polished

Sandy Brown

4007



Thickness

30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish

Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

M - FROST SERIES


Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

motilo®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm

M - FROST - IVORY

5001



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

M - FROST - VERDE

5002




Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

M - FROST - WHITE

5003



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished



Premium Quality



Durable



Versatile & Elegant



Ecology & Sustainable



Resistant To Staining



Maintenance Free



Breaking Strength



Easy To Clean

PEARL SERIES

Size 3200x1600mm | 3200x800mm | 3075x1450mm | 3075x725mm

motilo.®

Special Order Size Available 300x300mm | 400x400mm | 300x600mm | 600x600mm



PEARL WHITE

6001



Thickness
30mm | 20mm | 18mm | 15mm |
12mm | 10mm | 8mm

Finish
Polished

MOTILO QUARTZ STONE (Siliceous Base)

Test Performed	Test Standard	Results
App. Density Kg/dm ³	EN14617-1	2.2 -2.45
Water Absorption	EN14617-1	<0.04
Flexural Strength (Mpa)	EN14617-2	50 - 60
Dimensional Stability	EN14617-12	Class A
Impact Resistance (joule)	EN14617-9	4 - 9 Joule
Compressive Strength (Mpa)	EN14617-15	170 -220
Abrasion Resistance	EN14617-4	Groove Length=21.1mm
Frost Resistance	DIN 52104	Complies With Standard
Surface Hardness (Mohs Scale)	EN 101	6.0 -7.0
Stain Resistance	ANSI Z124.6	Pass
Wear & Cleanability	ANSI Z124.6	Pass
Chemical Resistance	ANSI Z124.6	Pass
Chemical Resistance	EN14617-10	Class C4
Resistance To Acids	ASTM C 650	Not Affected
Linear Thermal Expansion (30-60) C	EN14617-11	2.6x10
Boiling Water Resistance	NEMA LD3-3.6	Pass
High Temperature Resistance	NEMA LD3-3.6	Pass
Cigarette Test	ANSI Z124.6	Pass
Fire Classification	EN13401-1	Wall Cladding B-fl-81 Flooring & Stairs: B-fl-S1
Slip Resistance	EN 14231	Wet: 13-21 SRV, Dry: 43-53 SRV
Radiation	GB 6566-2010	Complies 'With Requirement Of Standard
Thermal Shock Resistance	EN14617-6	No Visual Defects After 10 Cycle.
-----	-----	Loss in Flexural Strength = Loss in Mass = 0.02%-0.05% 0.7%-1.1%
Freeze & Thaw Resistance	EN14617-5	No Defects After-05 Freeze-Thaw Cycle
Glossiness Reflection	%	45-70
Surface Slip, Resistance HONED 400	DIN 51130	R9
Staic Coefficient Of Friction	ASTM C 1028	Dry: 0.8, Wet: 0.6

TECHNICAL SPECIFICATION

SLAB SIZE :- 1600 x 3200mm | 1600 x 800mm | 1450 x 3050mm | 725 x 3050mm

SPECIAL ORDER SIZE AVAILABLE :- 300x300mm | 400x400mm | 300x600mm | 600x600mm

THICKNESS :- 8mm (0.8cm) | 10mm (1cm) | 12mm (1.2cm) | 15mm (1.5cm) | 18mm (1.8cm) | 20mm (2cm) | 30mm (3cm)

Customized size is available on request

APPLICATIONS



Full Bullnose



Demi Bullnose



1/2" Beval



1/2" Bullnose



1/2" Beval T&B



1/2" Round T&B



Full Bullnose With
Acrylic Lining



Spill Free Edging

A background image of a dense forest of tall, thin evergreen trees, heavily shrouded in thick white fog or mist. The trees are dark green and stand in various heights and densities across the landscape.

motilo.[®]

MOTILO Mfg.P.K. Industries,
Survey no. 81/PN.H. - 8.A,
Near Dariyalal Resort,Rafaleshwar,
Jambudiya Morbi Gujarat - 363642,
Web :- www.motilo.in
Email :- pk_industries@yahoo.com